



No. CTAE/Electrical/Tender/2023/ 2792-94

Dated: 28-07-2023

UBN: ATU2324GSLB00127

NOTICE INVITING LIMITED BIDS

BID Ref. No.: CTAE/ Electrical /2023-24/LB-

Sealed Bids, in prescribe format, are invited on behalf of the Dean, College of Technology and Engineering, Maharana Pratap University of Agriculture and Technology, Udaipur (Rajasthan) for the procurement of Goods (and related services)/ Services/Work as listed below and detailed in the Schedule of Supply (Annexure-1), from manufacturers/ distributors/ authorised dealers/ stockiest/ registered Bidders/ bona-fide dealers up to the Date and Time Specified below. The Bidders or their representative may be present in the bid opening. This bidding document may also be downloaded from our websites www.ctae.ac.in or www.mpuat.ac.in or the website of State Public Procurement Portal www.sppp.rajasthan.gov.in.

IMPORTANT BID DATA

1.	Procuring Entity's address for Bid Submission, clarification, and Opening of Bids	Dean, College of Technology and Engineering, Administrative Block, Udaipur - 313 001 Telephone No.: 0294-2470837; Fax No.: 0294-2471056, E-mail: ctaedean@gmail.com	
2.	Deadline for Bid submission	Date : <u>10-08-2023</u>	Time: 4.00 PM
3.	Bid opening	Date : <u>11-08-2023</u>	Time: 11.00 AM
5.	Bid Security Amount	Rs.3800	
6.	Bid Should remain Valid Up to	30 Days from the Last date of submission of Bids	
7.	BID Ref. No.	CTAE/Electrical/2023-24/LB- <u>01</u>	

Brief Description of the Goods/ Services/Works: Audio & Public address system for CTAE
(Please Refer to the Schedule of Supply (Annexure-1) for Detailed Specifications and Special Conditions, if any)

SN	Name of the Goods/ Services/Works	Quantity and Unit	Approx. Cost* (Rs.)
1.	16 channel audio mixer Specification:- <ul style="list-style-type: none">16-channel mixing consolemax. 10 mic/16 line inputs (8 mono + 4 stereo)4 group buses+ 1 stereo bus4 aux (incl. fx)"d-pre" mic preamps with an inverted darlington circuit1-knob compressorshigh-grade effects: spx with 24 programs24-bit/192khz 2in/2out usb audio functionsworks with the ipad (2 or later) through the apple ipad camera connection kit/lightning to usb camera adapterincludes should software to downloadpad switch on mono inputs+48v phantom powerxlr balanced outputs internal universal power supply for world-wide	01	Rs. 55,000.00/-
2.	Mini Dual UIIF mic Specification:- <ul style="list-style-type: none">carrier frequency range 660 to 865 mhzmodulation fmaudio bandwidth 40 to 20,000 hzfrequency stability (-10°C to +50°C) 15 khz	02	Rs. 34,000.00/-

	<ul style="list-style-type: none"> th.d. at 1 khz typ. 0.8% compander integrated signal/noise ratio typ. 105 db(a) RF output typ. max. 10 mw power requirement single 1.5-v aa size battery battery life >30 hours 		
3.	Podium Mic Specification :- <ul style="list-style-type: none"> gmb-6c is a sturdy, heavy duty base made of die-cast aluminium suitable for ahuja electret condenser govseneck microphones heavy weight housing with anti-skid feet ensures stability 10 meters shielded 2-core mic cable with xlr connector and phone plug built-in cell housing for 2aam-3 pencil cells (5v) for operating the condenser microphone on or off switch provided 	04	Rs. 20,000.00/-
4.	Wireless Mic with headband Specification:- <ul style="list-style-type: none"> Frequency Range=500-690MHz -Modulation Broadband FM Adjustable Range=50MHz Number Of Channels=250KHz Frequency Stability=10.005% or Less Dynamic Range=100db Maximum Frequency Deviation=+45KHz Audio Response=80Hz-18KHz(+3db) Integrated Messenger Ratio=105db Integrated Distortion=0.5% 	03	Rs. 45,000.00/-
5.	Male Female audio XLR Cable 400ft	01	Rs. 7,000.00/-
	Total		Rs. 1,61,500/- GST-18% Rs. 28980/- Total : Rs. 189980.00/-

*Including basic price, all taxes and other expenditures.

TERMS & CONDITIONS:

1. **Bid Preparation and Submission:**
 - 1.1 The bid/quotation must be submitted on official letter head of the bidder in the enclosed format (Annexure-1) and signed by the Bidder and must be properly sealed in an envelope. On the envelope "Bid for the Supply of [Name of Item/Services.]", "Due date of Opening" and Bid Ref. No. must be clearly marked. If the bid is not sealed and marked as required, the Procuring Entity shall assume no responsibility about its consequences including misplacement and premature opening of the Bid.
2. **Validity of Quotation:**
 - 2.1 Quotation shall remain valid for acceptance for a period not less than 30 days after the deadline date specified for submission.
3. **Bid prices**
 - 3.1 The rates quoted by the bidder shall be in Indian Rupees only and shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
 - 3.2 All taxes like Central/ Rajasthan GST, etc. to be charged extra should be shown separately (along with their rate) failing which the rates quoted by the bidder shall be assumed to be inclusive of all taxes and levies.
 - 3.3 All rates quoted must be FOR destination and should include all incidental charges.
 - 3.3 The goods quoted should be as per the required specifications. Any deviations should be mentioned in the quotations.
 - 3.4 Wherever applicable, the Make and Model No. of goods offered and their technical leaflet/brochure must invariably be enclosed, failing which the bid may be rejected.
4. **Award of Contract/Supply Order**
 - 4.1 The Purchaser will award the contract/Supply Order to the bidder whose quotation has been determined to be substantially responsive, conform to the terms & conditions, and specifications and who has offered the lowest evaluated quotation price on entire package.

4.2 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.

5. General

5.1 Quantities given are approximate and the final order may be placed for more or less quantities.

5.2 The bids for the items, wherever indicated, will not be accepted without samples.

5.3 In all future references the Bid No. must be invariably mentioned.

5.4 Normal commercial warranty/ guarantee shall be applicable to the supplied goods.

5.5 The bidder has to mention their RST/CST/GSTIN No. in their quotations otherwise their bids are liable to be rejected.

5.6 Payment shall be made against printed, pre-receipted, and pre-stamped invoice/bill mentioning RST/CST/GSTIN No.

Copy to:

1. Dr. B.L. Salvi, Nodal Officer (Accounts), with a soft copy in pdf format to kindly arrange to upload the Bid Document on the College website and the State Public Procurement Portal.
2. The S.O. (A/C)
3. The tenders Notice Board.

DIAN

DIAN

-----X----- not to be scanned below this line -----X-----

FORMAT OF QUOTATION

(To be submitted on the Letter head of the Bidder)

S.N.	Name of the Goods/ Services/Works with Specifications (including installation requirements, if any)	Make/ Model Unit	Quoted Unit Rate in Rs. (In Fig. and Words)	Taxes and their rate (if not included)
(1)	(2)	(3)	(4)	(5)
1.	16 channel audio mixer Specification:- <ul style="list-style-type: none"> • 16 channel mixing console • max. 16 mic/16 line inputs (8 mono + 4 stereo) • 4 group buses+ 1 stereo bus • 4 aux (incl. 1x) • "d pre" mic preamps with an inserted darlington circuit • 1-knob compressors • high-grade effects: spx with 24 programs • 24-bit/192kHz 2in/2out usb audio functions • works with the ipad (2 or later) through the apple ipad camera connection kit/lightning to usb camera adapter • includes should software to download • pad switch on mono inputs • +48v phantom power • xlr balanced outputs internal universal power supply for world-wide			
2.	Mini Dual UHF mic Specification:- <ul style="list-style-type: none"> • carrier frequency range 660 to 865 mhz • modulation fm • audio bandwidth 40 to 20,000 hz • frequency stability (-10°C to +50°C) 15 khz • th.d. at 1 khz typ. 0.8% • compander integrated • signal/noise ratio typ. 105 db(a) • RF output typ. max. 10 mw • power requirement single 1.5-v aa size battery • battery life >30 hours 			
3.	Podium Mic Specification :- <ul style="list-style-type: none"> • gmb-6c is a sturdy, heavy duty base made of die-cast aluminium suitable for aluja electret condenser gooseneck microphones • heavy weight housing with anti-skid feet ensures stability • 10 meters shielded 2-core mic cable with xlr connector and phone plug • built-in cell housing for 2aam-3 pencil cells (5v) for operating the condenser microphone • on or off switch provided 			
4.	Wireless Mic with headband Specification:- <ul style="list-style-type: none"> • Frequency Range-500-600MHz • Modulation Broadband FM • Adjustable Range-50MHz • Number Of Channels-250KHz • Frequency Stability-10.005% or Less • Dynamic Range-100db • Maximum Frequency Deviation-+45KHz • Audio Response-80Hz-18KHz(+3db) • Integrated Messenger Ratio-105db • Integrated Distortion-0.5% 			
5.	Male Female audio XLR Cable 400ft			

DECLARATION

- (a) I/We declare that I am/ we are Manufacturers/ Whole sellers/ Sole distributor/ Authorized dealer/ bonfire dealers in the Goods and Related Services or Services/Works for which I/We have Bid.
- (b) I/We agree to supply the above goods/services in accordance with the technical specifications within the period specified in the Bidding Documents. I/We further agree that our rates, if approved, shall remain valid for further 3 months from the Last Date of Submission of Quotations.
- (c) We also confirm that the normal commercial Warrantee/Guarantee of _____ months shall apply to the offered goods.
- (d) I/We have not been debarred by the State Government or the Procuring Entity.
- (f) If this declaration is found to be incorrect or I/We fail to supply the goods/services, then without prejudice to any other action that may be taken, the Supply Order/Bid, if any to the extent accepted, may be cancelled and I/We may be debarred from participating in future bids as per rules.

Signature of Bidder

Name & Address of Bidder: _____

Contact No. _____

PAN No. _____

GST No. _____